

SALES NETWORK



- Head Office
- Overseas Subsidiary
- Distributor

• Doosan Infracore Europe S. A.
1A, Rue Achille Degrace,
7080 Frameries,
Belgium
Tel : 32-65-61-3230
Fax : 32-65-61-3238

• Doosan Infracore Germany GmbH
Heinrich-von-Stephan-Str.2
40764 Langenfeld,
Germany
Tel : 49-2173-2035220
Fax : 49-2173-2035229

• Doosan Infracore Europe S.A. Italia
Filiale Italia,
via Dante Alighieri 43
20035 Lissone (MI),
Italy
Tel : +39-039-2457140
Fax : +39- 039-2457257

• Doosan Infracore Europe S.A. France
Division Manutention,
ZI des Bruyeres,
1/3, Rue Pavlov,
78190 Trappes,
France
Tel : +33-1-3016-2151
Fax : +33-1-3016-2155

• Doosan Infracore U.K., Ltd.
Unit 12 Kilvey Road,
Brackmills Industrial Estate,
Northampton NN4 7BQ,
U.K.
Tel : 44-1604-825600
Fax : 44-1604-825650

• Doosan Infracore America Corp.
4350 Renaissance Parkway,
Warrensville Heights, OH 44128,
U. S. A.
Tel : 1-216-595-1212
Fax : 1-216-595-1214

• Doosan Infracore China Co., Ltd
E-10, Wuzhishan Rd, ECO & Tech.
Development Zone, Yantai, Shandong,
China (264006)
Tel : + 86-535-639-0859
Fax : + 86-535-639-9157

Printed in Republic of Korea PSC601D1(Nov.2006)



Head Office : 7-11, Hwasu-Dong, Dong-Gu, Incheon, Korea.
Tel : 82-32-211-5011 Fax : 82-32-211-5412

Seoul Office : 22nd floor, Doosan Tower Bldg, Euljiro 6-Ga,
Jung-Gu, Seoul, Korea.
Tel : 82-2-3398-8630 Fax : 82-2-3398-8619

Web site : <http://iv.doosaninfracore.com>

AUTHORIZED DEALER

Product and specifications are subject to improvement and change without notice.



Doosan Infracore
Forklifts

Pneumatic Diesel Forklift Trucks

D20G / D25G / D30G
2000 to 3000kg Capacity

GX SERIES



A RANGE of PNEUMATIC DIESEL FORKLIFT TRUCKS in 2,000 to 3,000 kg CAPACITIES !

GX SERIES, D20G/D25G/D30G

A thorough understanding of customer needs enables DOOSAN forklift trucks to provide proven solutions that help its customers successfully achieve their requirements of **ECONOMY MATERIAL HANDLING** without compromising **PERFORMANCE, PRODUCTIVITY** and **QUALITY** !

The DOOSAN GX Series, D20G/ D25G/ D30G promotes **OPERATING EFFICIENCY** with its **ECONOMY FEATURES** something that you may never have experienced using others.

- Economical Ownership
- Low Fuel Consumption with Cummins 3.3 Liter Diesel Engine
- Simple and Unique Design for Serviceability
- Optimized Operator Comfort
- Reliable Components and Sealing system



LOADED with CUSTOMER-FRIENDLY OPERATOR COMFORT and EFFICIENCY !

Respecting operator's needs, DOOSAN GX Series is designed to increase operator comfort. The customized operator compartment will make your material handling objectives more efficient.



Spacious Operator Compartment

Designed for comfort, with optimized pedal positions, the roomy operator compartment allow driver to optimized comfort and reduce operator's fatigue.



Easy-to-Read Instrument Panel

A variety of gauge and indicator keep the driver aware of the machine's operating conditions.



Electrical Direction Lever

Forward and reverse direction lever will give precise and secure direction changing.



High Visibility Overhead Guard and Front-end

Provide optimum forward & upward visibility during loading and unloading.



Large Foot Steps and Grab bar

Wide and large foot steps and a conveniently positioned overhead guard pillar grab bar make entry and exit easy.



Low Fuel Consumption and Powerful 3.3 Liter Diesel Engine

Reliable Cummins B3.3 diesel engine is installed to Doosan GX series. Especially optimized engine design provides high efficient fuel consumption, low noise, and low emission at any application. Furthermore longer service interval will add an advantage to its value.



Dual Element Air Cleaner

The large capacity, dual element air cleaner is designed to extend service interval. It allows clean and cool air into intake system.



Wide Opening and Isolated Engine Cover

The reinforced and calm shell engine hood is widely opened and supported with dual gas cylinders for easy access to the engine compartments.

